

REVIEW



# Effect of Mechanical Forces on the Behavior of Dental Stem Cells: A Scoping Review of *In-Vitro* Studies

# Maryam Rezai Rad<sup>1</sup>, Sadra Mohaghegh<sup>2</sup>, Farnaz Kouhestani<sup>3</sup> and Saeed Reza Motamedian<sup>4,\*</sup>

<sup>1</sup>Dental Research Center, Research Institute of Dental Sciences, School of Dentistry, Shahid Beheshti University of Medical Sciences, Tehran, 1983963113, Iran

<sup>2</sup>Student Research Committee, School of Dentistry, Shahid Beheshti University of Medical Sciences, Tehran, 1983963113, Iran

<sup>3</sup>Department of Periodontics, School of Dentistry, Tehran University of Medical Sciences, Tehran, 1439955991, Iran

<sup>4</sup>Dentofacial Deformities Research Center, Research Institute of Dental Sciences, Department of Orthodontics, School of Dentistry, Shahid Beheshti University of Medical Sciences, Tehran, 1983963113, Iran

\*Corresponding Author: Saeed Reza Motamedian. Email: drmotamedian@gmail.com

Received: 25 November 2020 Accepted: 24 February 2021

# ABSTRACT

This article is a scoping review of the studies that assessed the effect of mechanical forces on the behavior of dental stem cells (DSCs). PubMed and Scopus searches were done for *in-vitro* studies evaluating the effect of tension, hydrostatic pressure (i.e., the pressure applied through an incompressible fluid), compression, simulated microgravity, and vibration on DSCs. The following factors were analyzed: osteogenic/odontogenic differentiation, proliferation, adhesion and migration. Articles were reviewed according to the Preferred Reporting Items for Systematic Reviews extension for scoping reviews (PRISMA-ScR) guideline. Included studies were evaluated based on the modified Consolidated Standards of Reporting Trials (CONSORT). A total of 18 studies published from 2008-2019 were included. Nine studies were focusing on Periodontal ligament Stem Cells (PDLSCs), eight studies on Dental Pulp Stem Cells (DPSCs) and one study on Stem Cells from Apical Papilla (SCAP). Results showed that tension, three-dimensional stress and simulated microgravity promoted the proliferation and osteogenic differentiation of PDLSCs. DPSCs proliferation increased after microgravity and tension exertion. In addition, dynamic hydrostatic pressure and compression promoted odontogenic differentiation of DPSCs. Besides, mechanical stimuli increased the osteogenic differentiation of DPSCs. One study analyzed the effect of carrier features on the response of DSCs to 3D-stress and showed that cells cultivated on scaffolds with 30% bioactive glass (BAG) had the highest osteogenic differentiation compared to other ratios of BAG. It has been shown that increasing the duration of tension (i.e., from 3 h to 24 h force application) enhanced the positive effect of force application on the osteogenic differentiation of DSCs. In conclusion, all types of mechanical forces except uniaxial tension increased the osteogenic/odontogenic differentiation of DSCs. In addition, the effect of mechanical stimulation on the proliferation of DSCs differs based on the type of stem cells and mechanical force.

# **KEYWORDS**

Tension; compression; biophysics; stem cells; proliferation; differentiation



This work is licensed under a Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

# **1** Introduction

Stem cells (SCs) can be isolated from adipose tissue, neural tissue, lung, peripheral blood, bone marrow and heart [1]. Dental tissues are a more recent source of SCs, which can be widely used due to their ease of access, considering that teeth are commonly extracted and distracted as waste [2]. Indeed, dental stem cells (DSCs) can be isolated from dental pulp (DPSCs), periodontal ligament (PDLSCs), apical papilla (SCAP), and gingival tissue (GMSCs) through minimally invasive procedures [3–7]. The response of DSCs to physiological forces can affect the function and structure of the teeth and surrounding tissues [8–11]. Besides, alternation of the biological behavior of DSCs through mechanical forces can be useful for therapeutic and regenerative purposes.

DSCs proliferation and differentiation can be affected by physiologic mechanical stimulations during jaw movements and occlusion. For instance, DPSCs differentiate towards the odontoblasts and produce dentin when they are subjected to biomechanical forces such as trauma and erosion [12–15]. On the other aspect, PDLSCs can increase or decrease bone uptake based on the magnitude and direction of mastication force [16]. Therefore, investigating the response of DSCs to mechanical forces can be beneficial for explaining the physiological phenomena.

Therapeutic procedures are the other field which can benefit from altering the behavior of DSCs through mechanical forces. For instance, PDLSCs can respond to the mechanical stimuli of stretching or compression during orthodontic movements and produce chemical signals. These signals induce bone remodeling by regulating osteoblastogenesis and osteoclastogenesis [8,17–20]. Therefore, analyzing and anticipating the response of DSCs to mechanical forces can be valuable in enhancing therapeutic strategies aimed to accelerate tooth movement and prevent tooth overload.

Additionally, DSCs derived from various sources along with scaffolds and growth factors can be applied for bone regeneration [21,22]. The main role of growth factors is to induce osteogenic differentiation in cultivated DSCs. Such osteogenic induction may also be created by applying mechanical forces. For instance, cells cultivated on the scaffold can face tensile force, which increases the osteogenic differentiation, and then be implanted in the intended site [23]. Therefore, the response of each type of DSCs to mechanical forces can also be useful in regenerative medicine.

Recently, many *in vitro* models have been designed to investigate the role of different mechanical stimuli on the behavior of DSCs [24]. Mechanical forces such as strain, stretch, compression and microgravity can affect proliferation, osteogenic/chondrogenic differentiation, migration and adhesion of DSCs [8,9]. However, some results are controversial and it has been shown that the response of stem cells varies based on the type of stem cells and parameters of the applied mechanical force [25,26]. Therefore, the main question of this scoping review was "What is the effect of mechanical forces on the behavior of DSCs *in-vitro* considering the type of DSCs, mechanical stimulation and cell culture system?"

#### 2 Material and Method

Study designed according to Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for scoping reviews (PRISMA-ScR) guideline.

#### 2.1 Information Source and Search Strategy

The search strategy was designed based on the PICOS Question: "What is the effect of mechanical forces (I) on the behavior (O) of DSCs (P) *in-vitro*(S)?" Considering the fact that precise analyses concerning the behavior of stem cells are performed *in-vitro* conditions, this scoping review has been performed on *in-vitro* studies. Pub-Med and Scopus electronic search were done based on the combination of relevant keywords (Tab. 1). Besides, reference lists of the included articles were manually searched to find possible related studies

Mechanical force (MESH terms)	Mechanical force (free text)	Cell behavior (MESH terms)	Cell behavior (free text)	Type of stem cells (free text)
"Stress, Mechanical"[Mesh]	tens*	"Cell Proliferation"[Mesh]	differentiation	dental pulp stem cells
"Ultrasonics" [Mesh]	compress*	"Cell Differentiation"[Mesh]	proliferation	human exfoliated deciduous teeth stem cell
"Weightlessness"[Mesh]	stretch			dental follicle stem cells
	"Mechanical strain"			apical papilla stem cells
	ultrasound			periodontal ligament stem cells
	microgravity			
	vibration			

Table 1: Key words

#### 2.2 Eligibility Criteria

# 2.2.1 Type of Studies

All *in vitro* studies which stimulate DSCs through mechanical force were included. Only English studies published before October 2020 were included. Abstracts, letters, and reviews were excluded.

#### 2.2.2 Types of Participants and Interventions

All types of human DSCs including DPSCs, PDLSCs, SCAPs, human exfoliated deciduous teeth and dental follicle stem cells were considered [3]. Studies that stimulate DSCs with mechanical forces mentioned in Tab. 1 were included. Studies merely assessed the effect of medium mechanical features or subjected stem cells to non-mechanical stimulations were excluded. Studies which did not perform the stem cell identification tests (i.e., multilinear differentiation capacity and cell surface marker analyses) were excluded.

#### 2.2.3 Type of Outcome Measurement

Studies which assessed the effect of mechanical stimulation on stem cell behaviors such as proliferation, differentiation, migration and adhesion were included. Studies performed proliferation-related tests such as MTT (3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide, a tetrazole) assay, Bromodeoxyuridine/ 5-bromo-2'-deoxyuridine (BrdU) and cell counting kit or studies including osteogenic/odontogenic differentiation tests such as Alizarin Red staining, reverse transcription-polymerase chain reaction (RT-PCR) and western blot assessments were included.

# 2.3 Selection of Sources of Evidence and Data Charting Process

Two reviewers performed electronic search, study selection and data extraction independently and a third independent expert resolved disagreements. Initial screening of titles and abstracts was done according to the mentioned eligibility criteria. Then a complete evaluation of the full text of the chosen articles was performed.

# 2.4 Data Items

The following information was extracted from each of the included articles: 1) types of DSCs; 2) types of the mechanical stimulation; 3) force generation device and some details about the magnitude and frequency of mechanical force; 4) types of the medium used to culture stem cells; 5) the type of cell behaviors which were assessed, 6) results (response of the DSCs to the mechanical forces).

#### 2.5 Critical Appraisal

Data were evaluated based on modified CONSORT [27] including the following items: structured summary (yes/no); specification of background, explanation and objective/or hypothesis; sufficient details about interventions were done for each group (yes/no); usage of suitable statistical methods (yes/no); expressing the result of each group and the estimated size of the effect and its precision (yes/no); discussing the limitations, potential bias, imprecision and multiplicity of analyses (yes/no) and identify the sources of funding (yes/no). If more than one item was not met, the study was considered as high risk of bias (ROB).

# **3** Results

Electronic and hand search resulted in 425 studies out of which 18 articles were included (Fig. 1). The effect of mechanical forces on PDLSCs, DPSCs and SCAP were assessed in nine, eight and one studies, respectively. All included studies had low risk of bias. Among all included studies, merely two studies analyzed the effect of mechanical force on the adhesion of DSCs [28,29]. No study was found concerning the response of human exfoliated deciduous teeth and dental follicle stem cells to mechanical stimulation (Fig. 2). Besides, studies which applied shear stress to dental cells did not met our inclusion criteria.



Figure 1: Flow diagram



Figure 2: Distribution of the studies based on the type of force and cells

DSCs were cultivated in different culture systems. Among the included studies, one study used polyethylene plastic dish [12], one study silicon membrane [30], one study plasma coated silicon membrane [31], one study microcarrier beds, one study glass cover lips [32], two studies silk scaffolds [33,34], one study bioactive glass scaffold, one study PLGA scaffold [35] and nine studies used plates. Among the studies cultured cells on plates, four studies [36–39] coated plates with type one collagen. Merely one study analyzed the effect of carrier features on the efficiency of the mechanical force. Wang et al. [40] analyzed the effect of 3D-stress on PDLSCs cultivated on scaffolds with different ratios of BAG (10%, 20%, 30%, 40%, 50%) and showed that the highest osteogenic differentiation occurred when 30% BAG scaffolds were used.

# 3.1 PDLSCs

Among 9 PDLSCs articles, cyclic tensile stress [23], low magnitude (magnitude < 1 g) high frequency (frequency > 20 Hz) vibration (LMHF) [41,42], static mechanical strain [37], compressive force [24], equiaxial strain [39], three-dimensional stress [40], simulated microgravity [43] and Cyclic tension force [38] were considered as mechanical stimulation (Tab. 2). Five articles [37,40–43] assessed the effect of stimulation on both differentiation and proliferation while one article [24] evaluate merely proliferation and three articles [23,38,39] merely performed differentiation tests.

Study	Cell type	Mechanical force	Device, duration, frequency of the force	Medium	Differentiation tests	Proliferation tests	Result
Tang et al. [23]	<b>PDLSCs</b> cultured on Bf plates	<b>Tension</b> (uniaxial cyclic tensile strain)	3,000µ strain; 3h, 6 h, 12 h, and 24 h by four-point bending system	Standard	- RT-PCR - Western blot	N/A	Osteogenic diff increased: Stab2, <i>RUNX2, OSX</i> exp increased
Zhang et al. [42]	PDLSCs cultured on plates	vibration (Low magnitude high frequency)	0.05 g to 0.9 g, 50 Hz, 30 min every 24 h by GJX-5 vibration sensor	Standard	- RT-PCR - Western blot - Immunostaining	- CCK8	- Osteogenic diff increased: <i>RUNX2</i> exp peaked at 0.1 g; <i>OSX</i> , <i>COL</i> -I, ALP and <i>OCN</i> exp peaked at 0.3 g. - Proliferation decreased: the lowest level at 0.3 g
Zhang et al. [41]	PDLSCs cultured on plates	vibration (Low magnitude high frequency)	0.3 g,10-180 Hz, 30 min every 24 h by GJX- 5 vibration sensor	Standard	- ALP activity - RT-PCR - Western blots - ELISA	- CCK8 - CCA	- Osteogenic diff increased: ALP activity, <i>RUNX2</i> , <i>COL</i> 1 and <i>OSX</i> exp peaked at 50 Hz; <i>OCN</i> exp increased at 40, 50, 60, 90, 120 Hz. - Proliferation decreased
Liu et al. [37]	PDLSCs cultured on col I-coated Bf plates	Tension (static mechanical strain)	6%, 8%, 10%, 12% and 14% strain, 0.1 Hz for 12 h by Flexcell Tension system	- Standard (proliferation) - Osteogenic (differentiation)	- ALP activity - Alizarin Red S staining - RT-PCR - ELISA	- MTT - CCA	<ul> <li>Osteogenic diff increased ALP activity, mineralized nodule formation, ALP, <i>RUNX2</i>, and <i>OCN</i> exp peaked at 12%.</li> <li>Proliferation increased: peaked at 12%.</li> </ul>
Wei et al. [39]	PDLSCs cultured on col I-coated ASB plates	<b>Tension</b> (Equiaxial strain)	10% strain, 1.0 Hz for 12 h. by Flexcell tension system	Standard	<ul><li>ALP activity</li><li>RT-PCR</li><li>Western blot</li></ul>	N/A	- Osteogenic diff increased: <i>RUNX2, OCN</i> and <i>BSP</i> exp increased
Panchamanon et al. [24]	PDLSCs cultured on plates	Compressive force	0.5, 1, 1.5 or 2 g/ cm <sup>2</sup> for 24h by 50 mL plastic tube caps	Standard	N/A	- MTT - Flowcytometry	- Proliferation showed a magnitude dependent manner
Wang et al. [40]	PDLSCs cultured on BAG scaffold	<b>3D stress</b> : chewing power	1 Hz, 3 times per day and 30 min at per time for 1,2,3 weeks	- Standard (proliferation) - Osteogenic (differentiation)	- ALP activity - RT-PCR - Immunostaining	- MTT	- Osteogenic diff increased: ALP activity, <i>BSP</i> , <i>OCN</i> and <i>OPN</i> exp peaked after 3 weeks - Proliferation increased: peaked after 3 weeks
Shen et al. [38] (2014)	PDLSCs cultured on col I-coated FB plates	Tension (cyclic tension stretches)	12% strain, 0.1 Hz (5 s stretch and 5 s relaxation) for 6, 12 and 24 h by Flexcell Tension System	Osteogenic	- RT-PCR - Western blot	N/A	- Osteogenic diff increased: <i>RUNX2</i> , ALP, and <i>OCN</i> exp increased

# Table 2: Comparison of studies (PDLSCs)

Table 2 (co	ontinued).						
Study	Cell type	Mechanical force	Device, duration, frequency of the force	Medium	Differentiation tests	Proliferation tests	Result
Li et al. [43]	PDLSCs cultured on microcarrier beads	Simulated microgravity	7 d by bioreactor (15rpm)	- Standard (proliferation) - Osteogenic (differentiation)	- Alizarin Red - RT-PCR - Western blot	- BrdU - CCA	- Osteogenic diff increased: <i>COL</i> 1 and ALP exp increased - Proliferation increased: 86% and 55.6% of cells were in GOG1 phases before and after stimulation respectively.

Note: **PDLSCs:** Periodontal ligament stem cells; **B**f: Bioflex; **h**: Hour; **RT-PCR**: Reverse transcription polymerase chain reaction; **N**/A: not applicable; **diff**: differentiation; *SATB*: special AT-rich sequence-binding protein; *RUNX2*: Runt-related transcription factor2; *OSX*: Osterix; **exp**: expression; **g**: gram; **min**: minute; **CCK**: Cell Counting Kit; *COL*: Collagen; **ALP**: Alkaline Phosphatase; *OCN*: Osteocalcin; **Hz**: Hertz; **ELISA**: Enzyme-linked Immune Sorbent Assay; **CCA**: Cell Cycle Assay; **ASB**: amino silicone-bottom; *BSP*: Bone sialoprotein; **BAG**: Bioactive glass; *OPN*: Osteopontin; **FB**: flexible bottomed; **rpm**: rounds per minute; **BrdU**: Bromodeoxyuridine

Among all PDLSCs articles, in three studies [24,37,40] proliferation assessed through MTT assay and in two experiments [41,42] cell counting kits were used. In addition, in one article [43] BrdU assay was performed to evaluate proliferation and in two studies [43,41] flow cytometry was used to analyze cell cycle distribution. Two studies [41,42] showed that proliferation of PDLSCs decreased following LMHF vibration. However, static mechanical strain [37], three-dimensional stress [40] and simulated microgravity [43] promoted the proliferation of PDLSCs.

Panchamanon et al. [24] emphasized that the effect of mechanical forces on PDLSC is dependent on its magnitude [24]. They showed that 49.03 Pa compressive force decreased the proliferation of PDLSCs. However, 147.09 Pa and 196.13 Pa compressive force for 24h had no effects on the cell viability of PDLSCs.

All of the articles which assessed the differentiation of PDLSCs used RT-PCR test to analyze osteogenic/ odontogenic differentiation through evaluating various osteogenic (ALP, OPG, *BMP-2*, *OCN*, *BSP*, *OPN*, Nestin, and *RUNX2*) or odontogenic genes (*DSPP*, DMP-1). Moreover, six articles [23,39,41–44] used western blot analyses along with RT-PCR. It has been shown that low magnitude high frequency vibration [41,42], all types of tension [39,44–46], three-dimensional stress [40] and simulated microgravity [43] promoted osteogenic differentiation of PDLSCs.

Wei et al. [39] and Panchamanon et al. [24] were the only studies which did not compare the effect of periods and magnitudes of mechanical force on the osteogenic differentiation of PDLSCs. Despite Shen et al. [38] and Tang et al. [23] showed that osteogenic differentiation of PDLSCs increased as the duration of tension application increased (i.e., from 3 h to 24 h force application). In addition, Li et al. [43] showed that SMG application for 72 h increased the osteogenic differentiation of PDLSCs to higher levels compared to 24 h of force application. Liu et al. [37] analyzed different magnitudes of tension (i.e., 6%, 8%, 10%, 12%, 14%) and showed that the highest osteogenic differentiation of PDLSCs occurred when 12% tensile force applied. Zhang et al. [42] analyzed the effect of different vibration magnitudes and showed that the osteogenic differentiation of PDLSCs increased from 0.05 g to 0.3 g vibration and decreased in the vibrations of higher than 0.3 g. In another study [41], they analyzed different frequencies of vibration and showed that cells faced 50 Hz of vibration had the optimal osteogenic differentiation.

# 3.2 DPSCs

Among 8 articles assessing the effect of mechanical stimuli on DPSCs (Tab. 3), seven articles analyzed the differentiation of DPSCs while four [32,34–36] assessed the proliferation. Dynamic mechanical tension [36], dynamic hydrostatic pressure [32], equiaxial strain [30], cyclic tensile stretch [12,33], compression [31], combined mechanical stimulation (i.e., shear stress, tension and compression) [34] and microgravity [35] were applied (Tab. 3).

Study	Cell type	Mechanical force	Device, duration, frequency of the force	Medium	Differentiation tests	Proliferation tests	Result
Han et al. [36]	DPSCs (cultured on type I AC coted FB plate)	Tension (Equiaxial Dynamic tensile stretch)	5% and 8% strains; 2 cycles/min for 10 d by Flexercell System	Standard	- RT-PCR	- MTT	<ul> <li>Osteogenic diff increased: OPN exp increased at 8% strain; α-SMA expression decreased         <ul> <li>Proliferation increased: After 5 days, 5 and 8% strains showed similar proliferation, after 10 days, 8% strain showed the highest</li> </ul> </li> </ul>
Han et al. [33]	DPSCs (cultured on silk scaffold)	Tension (Uniaxial tensile stretch)	10% strain, 0.2 Hz for the first 5 d, continuous strain for the next 10 d by bioreactor	Standard	- RT-PCR - Western blot - Immunostaining	N/A	- Osteogenic diff increased: OPG exp increased, a-SMA exp decreased
Woloszyk et al. [34]	DPSCs (cultured on silk fibroin scaffold)	Combined force (Shear, Tension and Pressure)	bioreactor 120 rpm	- Osteogenic - Odontogenic	- μCT - RT-PCR - ALP activity	- DNA Assay - Alamar Blue assay	<ul> <li>Osteogenic and</li> <li>Odontogenic diff increased:</li> <li>Mineralization, ALP activity,</li> <li>OCN exp increased</li> <li>Proliferation unchanged</li> </ul>
Yu et al. [32]	DPSCs (cultured on glass cover slip)	Dynamic hydrostatic pressure	2.5 MPa, 0.5 Hz by hydrostatic pressure device	- Osteogenic	- RT-PCR - Alizarin Red Staining	- WST-1	<ul> <li>Odontogenic diff increased:</li> <li>calcium accumulation increased; no difference in <i>DSPP</i> and DMP-1 exp</li> <li>Proliferation decreased</li> <li>Adhesion decreased</li> </ul>
Tabatabaei et al. [30]	DPSCs (silicone membrane)	<b>Tension</b> (Equiaxial Tensile Stretch)	3% strain for 2 weeks by equiaxial strain device	-Force: standard -Control+: osteogenic - Control-: standard	- Immuno- staining - RT-PCR	N/A	- Osteogenic diff increased: OCN, ALP and OPN exp increased; OPN>ALP in Control+ and Force group
Cai et al. [12]	<b>DPSCs</b> cultured on PEP dish	Tension (Uniaxial Cyclic Tensile Stretch)	2000 με strain, 1 Hz, for 6 h using four-point bending mechanical loading device	- Osteogenic - Odontogenic	- RT–PCR - Immuno- staining	N/A	- Osteogenic and Odontogenic diff decreased: ALP, OCN, BMP-2, DSP, BSP and DSPP exp decreased
Miyashita et al. [31]	DPSCs (cultured on plasma- coated Silicon membrane)	Cyclic Compression	19.6 kPa, 0.083 Hz for 9 h by bioreactor	Odontogenic	-RT–PCR - Western blot	N/A	- Odontogenic diff increased: DSPP and Enamelysin exp increased

Table 3: Comparison of studies (DPSCs)

Table 3 (continued).								
Study	Cell type	Mechanical force	Device, duration, frequency of the force	Medium	Differentiation tests	Proliferation tests	Result	
He et al. [35]	<b>DPSCs</b> cultured on PLGA scaffold	Simulated Microgravity	1.0-2 g for 3 d by 55-mL high aspect ratio vessel (15 rpm to 25 rpm)	Standard	N/A	- MTT - BrdU - CCA - Western blot	Proliferation increased: 8.4% and 23.58% DPSCs entered S phase before and after stimulation respectively - Adhesion increased - Migration decreased	

Note: **DPSCs:** Dental Pulp Stem Cells; **B**f: Bioflex; **h**: Hour; **RT-PCR**: Reverse transcription polymerase chain reaction; **N**/A: not applicable; **diff**: differentiation; *SATB*: special AT-rich sequence-binding protein; *RUNX2*: Runt-related transcription factor2; *OSX*: Osterix; **exp**: expression; **g**: gram; **min**: minute; **CCK**: Cell Counting Kit; **Co**I: Collagen; **ALP**: Alkaline Phosphatase; *OCN*: Osteocalcin; **Hz**: Hertz; **ELISA**: Enzyme-linked Immune Sorbent Assay; **CCA**: Cell Cycle Assay; **ASB**: amino silicone-bottom; *BSP*: Bone sialoprotein; **BAG**: Bioactive glass; *OPN*: Osteopontin; **FB**: flexible bottomed; **rpm**: rounds per minute; **BrdU**: Bromodeoxyuridine; **kPa**: Kilopascal; **PLGA**: poly lactic-co-glycolic acid; *DSPP*: Dentin Sialo Protein; **PEP**: polyethylene plastic; *BMP-2*: Bone Morphogenic Protein-2; *DSP*: Dentin Sialo Protein; *BSP*: Bone Sialo Protein; **DMP**: Dentin Matrix Acidic Phosphoprotein; **SMA**: Smooth muscle actin.

MTT assay was used to assess proliferation in two experiments [36,35]. He et al. [35] used BrdU assay and flowcytometry beside MTT to analyze DPSC proliferation and cell cycle, respectively. In addition, Wolozyk et al. [34] used DNA assay kit and Almar Blue assay to evaluate proliferation. Although proliferation increased after microgravity [35] and tension [36] exertion, Wolozyk et al. [34] demonstrated that the combined mechanical force had no significant effect on the proliferation of DPSCs.

All of the articles which assessed differentiation performed RT-PCR tests. In addition, western blot analysis [31,33], alizarin red staining [32] and immunostaining [12,30,33] were also performed to analyze osteogenic/odontogenic differentiation. Among reviewed articles, Cai et al. [12] was the only study which showed a decrease in DPSCs odontogenic differentiation following tension. However, it has been shown that combined mechanical forces [34], dynamic hydrostatic pressure [32] and compression [31] promote odontogenic differentiation of DPSCs. In addition, it has been shown that osteogenic differentiation of DPSCs increased following tension [47–49] and combined mechanical force [34].

A total of two studies assessed the effect of mechanical forces on adhesion. Yu et al. [32] showed that hydrostatic pressure decreased the adhesion of DPSCs. However, He et al. [35] showed the positive effect of microgravity on adhesion.

In the case of the medium condition, four articles [12,30–32] used inducing mediums to evaluate DPSCs differentiation while in others [33,36] cells were cultured in standard (non-inducing) medium.

Yu et al. [32], Woloszyk et al. [34], Cai et al. [12], Han et al. [33], He et al. [35] and Tabatabaei et al. [30] did not compare the effect of different time points and magnitudes of mechanical stimulation on the osteogenic/odontogenic differentiation of DPSCs. However, Han et al. [36] showed that increasing the magnitude of tension enhanced the osteogenic differentiation of DPSCs. Besides, Miyashita et al. [31] analyzed different magnitudes of compression and showed that the highest odontogenic differentiation occurred when 19.6 kPa force applied.

#### 3.3 SCAP

Mu et al. [50] analyzed differentiation and proliferation followed by mechanical stimuli in SCAP (Tab. 4). They applied mechanical strain for 30 min using a centrifuge. Differentiation was assessed through Alkaline phosphatase (ALP) activity assay, Alizarin red staining, RT-PCR and western plot. Proliferation evaluated via MTT and cell cycle analysis. It was demonstrated that although mechanical stimulation increased osteogenic and odontogenic differentiation, SCAPs proliferation was decreased following the application of mechanical force.

Study	Cell type	Mechanical force	Device, duration, frequency of the force	Medium	Differentiation tests	Proliferation tests	Result
Mu et al. [50]	SCAP cultured on six-well plates	Tension (Uniaxial Tensile Stretch)	30 min by centrifuge (1000 rpm)	Standard	<ul> <li>ALP Activity</li> <li>Alizarin Red Staining</li> <li>Western blot</li> <li>RT-PCR</li> </ul>	- MTT - CCA	<ul> <li>Osteogenic and Odontogenic diff increased; ALP activity, <i>RUNX2, OSX, OCN</i>, and <i>DSPP</i> exp increased.</li> <li>Proliferation decreased: 51.92% and 54.99% of cells were in G0G1 phases before and after stimulation respectively.</li> </ul>

 Table 4: SCAP studies

Note: SCAPs: Stem Cell from Apical Papilla; RT-PCR: Reverse transcription polymerase chain reaction; diff: differentiation; *RUNX2*: Runt-related transcription factor2; *OSX*: Osterix; exp: expression; min: minute; ALP: Alkaline Phosphatase; *OCN*: Osteocalcin; CCA: Cell Cycle Assay; rpm: rounds per minute; *DSPP*: Dentin Sialo Phospho-Protein

#### 4 Discussion

It has been shown that the rate of differentiation and proliferation of DSCs can be altered by mechanical stimulation based on the type of force [12,30,31,35]. The main purpose of this scoping review was to analyze studies applied mechanical forces to DSCs comprehensively. The osteogenic/odontogenic differentiation increased in all of the studies but one which applied uniaxial tensile force to DPSCs [12]. In addition, results of the included studies showed that the effect of mechanical stimulation on the proliferation of DSCs differs based on the type, magnitude and frequency of the mechanical force.

# 4.1 Tension

During orthodontic tooth movement, osteoclastic and osteoblastic differentiation occurs in the compression and tension sides, respectively [51-54]. Our study showed that tension (without any other chemical stimulation) can stimulate the osteogenic differentiation of DSCs. This is a different route from pressure-tension theory that states changes in the blood flow of periodontal tissue which occurs following the application of forces, result in the release of chemokines stimulate osteoblastic and osteoclastic differentiation [55-57].

The effect of tensile force on the differentiation of DSCs can be altered based on the force type and magnitude as well as the cell culture system and the presence of inflammatory factors [12,24,37].

Different types of mechanical tensions including cyclic tensile stretch [23], static mechanical stretch [37], equiaxial stretch [39] and uniaxial cyclic tensile stretch [12] were applied to DSCs. Static forces can mimic orthodontic and soft tissue forces while cyclic stimulations can mimic mastication forces [30]. *In-vivo* applied tensile forces can be uniaxial or equiaxial which depends on the location of the cells. For instance, cells may face equiaxial forces due to the complex structure of cells located in the apical region. Both types of tensile force have been analyzed in the included studies. The included studies showed that mechanical tension increased the osteogenic differentiation of PDLSCs and SCAPs, regardless of the type of tensile force [39,44–46,58–62]. However, the response of DPSCs to tension was based on the type of force. Uniaxial tensile force decreased the osteogenic/odontogenic differentiation [12], while other types of tensions increased osteogenic/odontogenic differentiation of DPSCs [47–49].

The magnitude of the tensile force was the other factor which was different between the studies. Different amounts of strain forces are needed for the horizontal and intrusive displacement of teeth. It has been shown that the maximal strain force which is needed for horizontal orthodontic tooth movement and intrusion is about 8%-25% and 6%-7% tensile strength, respectively [63]. All of the included studies

applied tensile forces in the mentioned range. Flexor tension and four-point bending systems were the most common methods to apply tension. In order to simulate the *in-vivo* condition of tension force (i.e., during orthodontic force application), a 3-dimensional environment is needed. Indeed, different types of tensile force must be applied to cells located in different parts of the environment to mimic the *in-vivo* condition accurately. However, it is not feasible to separate cells cultivated on different parts and analyze their behavior independently. Therefore, it is recommended to identify the specific type of force which is applied to stem cells located in different parts of the teeth and analyze the effect of each of the identified forces using a separate setup.

Cell culture system is another factor which may affect the response of DSCs to tensile force. However, cells cultured in 2-dimensional (2-D) and 3-dimensional (3-D) environments showed the same differentiation potential [33,36]. Three-dimensional environments can mimic the in-vivo niche of stem cells more accurately [64]. Han et al. [33] applied mechanical tension using bioreactors. They cultivated cells on 3-D silk scaffold prior to mechanical stimulation. They also performed another study which applied mechanical tension using the Flexercell system and cultivated cells on Bioflex 2-D plates [36]. Both studies demonstrated that mechanical stimulation increased *COL-1* and Osteoprotegerin expression. However, the expression of  $\alpha$ -SMA decreased in both studies [33,36]. There were no studies which compared the response of DSCs to mechanical force in 2D and 3D conditions. However, it must be considered that the composition of scaffold affects the differentiation of stem cells which may impact the response of cell to mechanical stimulation.

DSCs can be cultivated in inducing or non-inducing mediums. Considering the high proliferation capacity of DSCs, inducing mediums were used in some of the included studies to evaluate the differentiation capacity of DSCs [12,31,30–32]. However, comparison of the results of studies showed no significant difference in using inducing or non-inducing mediums. Tang et al. [23] and Shen et al. [38] applied cyclic tensile force to PDLSCs [23,38]. Although the condition of the medium was different between studies, they both mentioned higher expression of RUNX2 and OSX following the mechanical stimulation. In addition, Tabatabaei et al. [30] compared the inducing and non-inducing medium in their study [30]. They revealed that cells cultured on inducing mediums had higher OPN expression while the expression of ALPL was lower in inducing conditions.

All of the included studies used healthy DSCs to evaluate the effect of mechanical stress. However, Liu et al. [37] compared the behavior of PDLSCs isolated from healthy and inflammatory periodontal tissue [37] and showed that periodontitis PDLSCs (PPDLSCs) were more sensitive to mechanical stretch [37]. Indeed, 8% strain was the best condition for osteogenic differentiation of PPDLSCs while it was 12% for healthy PDLSCs (HPDLSCs). Applying strain force at higher levels than mentioned amounts led to a decrease in the cell viability and differentiation capacity of HPDLSCs and PPDLSCs. The reason behind the different responses of PPDLSCs and HPDLSCs to mechanical stimulation is still unclear [37].

The proliferation of PDLSCs and DPSCs, on the other hand, increased after the application of tensile force. However, tension decreased the proliferation of SCAPs [50]. Although it is expected that different types of DSCs respond in the same manner to the mechanical forces, the decrease of the proliferation rate of SCAPs following tensile stimulation can be justified by considering the cell cycle and relation between proliferation and differentiation. In fact, osteoblast development can be divided into three phases [65]. The first phase is proliferation, in which the proliferation rate starts to decrease from its maximum level and the differentiation has stopped and the expression of early differentiation genes (e.g., osteopontin, alkaline phosphatase) increases. At the final stage, Mineralization, the expression of osteocalcin and hydroxyapatite increase [65]. Therefore, the decrease in the proliferation rate may be due to the onset of osteoblast development and cell entry to the first phase of osteoblast development. For instance, Mu et al. [50] showed that the MTT results of SCAPs were the same as the control group for the first three days.

However, after that, osteoblast development started and cells that faced tensile force had lower cell count and higher differentiation.

It must also be considered that stem cells may respond differently to a specific magnitude of tensile force overtime. Han et al. [36] showed that after ten days, the highest level of proliferation was caused by 8% strain [36]. However, in the short-term (five days), there were no significant differences between 5% and 8% strain.

#### 4.2 Hydrostatic Pressure and Compression

Pressure and compression were considered synonyms in the included studies [31]. However, hydrostatic pressure is a type of pressure that is applied through incompressible liquids and is thoroughly different from compression. Studies showed that both compression and hydrostatic pressure increased the osteogenic/ odontogenic differentiation of DSCs. Besides, it has been shown that compression had magnitude dependent effect on the proliferation of DSCs [24] while hydrostatic pressure decreased the proliferation of DSCs [66]. It must be considered that in the latter study the effect of different magnitudes was not analyzed and 2.5 MPa force was considered as optimum magnitude based on their cell attachment and morphology results.

Dynamic hydrostatic pressure mimics the sustained pulpal pressure, in-vivo. In-vitro results showed that hydrostatic pressure increased the odontogenic differentiation of DSCs which imitate the behavior of DSCs facing hydrostatic pressure during pulp inflammation [67]. It has been shown that dental pulp faces mechanical forces during tooth eruption [68,69], mastication [70,71] and traumas. In the reparative dentinogenesis procedure, previous odontoblasts are dead due to substantive damage of pulp tissue. Thus, DPSCs will differentiate into odontoblasts due to mechanical forces to replace old cells and create tertiary dentin [72–74]. In addition, the formation of pulp stones, root canal calcification and calcified nodules following abnormal occlusal and parafunctional forces can be justified based on the differentiation of DSCs to odontoblast-like cells [32,75]. Another example of odontoblastic differentiation of DPSCs following mechanical force is the production of thick dentin (secondary dentin) in teeth that are in occlusion. In confirmation of the hypothesis, since impacted teeth are not used during mastication and their DPSCs do not face mechanical forces, no secondary dentin can be found in impacted teeth [25].

#### 4.3 Microgravity

The application of microgravity can be beneficial in enhancing the proliferation and differentiation capacity of stem cells. Results of included studies showed that simulated microgravity increased the proliferation rate of DSCs [35,43]. In addition, it has been shown that the osteogenic differentiation of DSCs increased following simulated microgravity which was applied through bioreactors [43]. This can potentially result in producing engineered grafts *ex-vivo* which its cells are activated by microgravity environment and have more regeneration capacity.

#### 4.4 Vibration

This stimulation can mimic the physiological forces of mastication [76]. Among all included studies, two studies applied low magnitude high-frequency vibration to PDLSCs [41,42]. The magnitude and frequency of vibration differed among the mentioned articles. It has been shown that vibration decrease the proliferation of DSCs. On the contrary, vibration enhanced the osteogenic differentiation of PDLSCs [41,42]. The positive effect of vibration on the differentiation of PDLSCs peaked at 50 Hz and decreased at the higher frequencies and even become lower than control group at 180 Hz. In addition, among all of the analyzed genes, *OSX* expression was lower than control group in the majority of tested frequencies. The lowest gene expression among osteogenic genes belonged to *OSX* while *RUNX2* had the highest.

#### 4.5 Shear Stress

DSCs located in the periodontal tissue may face shear stress during the fluid transfer which occurs as a result of mastication or other forces applied to teeth and surrounding structures [77]. However, none of the included studies analyzed the effect of shear stress on the behavior of dental stem cells. Nevertheless, it has been shown that this force can increase the osteogenic differentiation of other types of stem cells including adipose derived stem cells [78] and bone mesenchymal stem cells [79].

# 4.6 Limitation and Suggestions for Future Studies

The effect of cell-cell interaction, body fluid and surrounding tissue are not considered *in vitro* studies. Although these studies are beneficial to analyze the behavior of DSCs independently, *in-vivo* studies can be done to overcome the aforementioned limitations. Considering that DSCs may face different types of mechanical forces in the oral tissue, it is recommended to analyze the effect of the combined mechanical stimulation (i.e., tension, compression and shear) on the behavior of stem cells as it did in a study by Woloszyk et al. [34]. However, in this study [34], the effect of each of the stimulations as well as impact of intercellular interaction were not analyzed. In addition, it is not feasible to categorize applied mechanical stimuli into pathological, physiological and therapeutic forces. Besides, more studies are needed to reveal; the intracellular mechanism regarding the effect of mechanical stimuli on DSCs.

## **5** Conclusion

Although most types of mechanical forces increased the osteogenic/odontogenic differentiation of DSCs, there were controversial results regarding the effect of uniaxial tension on DSCs. This force increased the osteogenic differentiation of PDLSCs while decreased the osteogenic/odontogenic differentiation of DSCs. Besides, compression showed magnitude dependent effect on the proliferation of DSCs, while hydrostatic pressure and vibration decreased the proliferation of DSCs. The effect of tension on the proliferation of DSCs differs based on the type of cell. Indeed, tension increased the proliferation of DSCs but SCAPs.

**Funding Statement:** The current study was funded by Dentofacial Deformities Research Center, Research Institute of Dental Sciences, Shahid Beheshti University of Medical Sciences, Tehran, Iran.

**Conflicts of Interest:** The authors declare that they have no conflicts of interest to report regarding the present study.

# References

- Berebichez-Fridman, R., Montero-Olvera, P. R. (2018). Sources and clinical applications of mesenchymal stem cells: State-of-the-art review. *Sultan Qaboos University Medical Journal*, 18(3), 264–277. DOI 10.18295/ squmj.2018.18.03.002.
- Abedian, Z., Jenabian, N., Moghadamnia, A. A., Zabihi, E., Pourbagher, R. et al. (2020). A comparative study on immunophenotypic characterization and osteogenic differentiation of human mesenchymal stromal cells derived from periodontal ligament and gingiva. *Journal of Periodontology*, 91(9), 1194–1202. DOI 10.1002/JPER.19-0535.
- 3. Egusa, H., Sonoyama, W., Nishimura, M., Atsuta, I., Akiyama, K. (2012). Stem cells in dentistry–Part I: stem cell sources. *Journal of Prosthodontic Research*, *56*(3), 151–165. DOI 10.1016/j.jpor.2012.06.001.
- Gronthos, S., Mankani, M., Brahim, J., Robey, P. G., Shi, S. (2000). Postnatal human dental pulp stem cells (DPSCs) in vitro and in vivo. Proceedings of the National Academy of Sciences of the United States of America, 97(25), 13625–13630. DOI 10.1073/pnas.240309797.
- 5. Seo, B. M., Miura, M., Gronthos, S., Bartold, P. M., Batouli, S. et al. (2004). Investigation of multipotent postnatal stem cells from human periodontal ligament. *Lancet*, *364(9429)*, 149–155. DOI 10.1016/S0140-6736(04)16627-0.

- Miura, M., Gronthos, S., Zhao, M., Lu, B., Fisher, L. W. et al. (2003). SHED: Stem cells from human exfoliated deciduous teeth. *Proceedings of the National Academy of Sciences of the United States of America*, 100(10), 5807– 5812. DOI 10.1073/pnas.0937635100.
- Sonoyama, W., Liu, Y., Fang, D., Yamaza, T., Seo, B. M. et al. (2006). Mesenchymal stem cell-mediated functional tooth regeneration in swine. *PLoS One*, 1(1), e79. DOI 10.1371/journal.pone.0000079.
- 8. Zordani, A., Pisciotta, A., Bertoni, L., Bertani, G., Vallarola, A. et al. (2019). Regenerative potential of human dental pulp stem cells in the treatment of stress urinary incontinence: *In vitro* and *in vivo* study. *Cell Proliferation*, *52(6)*, S3. DOI 10.1111/cpr.12675.
- 9. Marrelli, M., Codispoti, B., Shelton, R. M., Scheven, B. A., Cooper, P. R. et al. (2018). Dental pulp stem cell mechanoresponsiveness: effects of mechanical stimuli on dental pulp stem cell behavior. *Frontiers in Physiology*, *9*, 347. DOI 10.3389/fphys.2018.01685.
- Mabuchi, R., Matsuzaka, K., Shimono, M. (2002). Cell proliferation and cell death in periodontal ligaments during orthodontic tooth movement. *Journal of Periodontal Research*, 37(2), 118–124. DOI 10.1034/j.1600-0765.2001.10602.x.
- Naveh, G. R. S., Lev-Tov Chattah, N., Zaslansky, P., Shahar, R., Weiner, S. (2012). Tooth-PDL-bone complex: Response to compressive loads encountered during mastication–A review. *Archives of Oral Biology*, 57(12), 1575–1584. DOI 10.1016/j.archoralbio.2012.07.006.
- Cai, X., Zhang, Y., Yang, X., Grottkau, B. E., Lin, Y. (2011). Uniaxial cyclic tensile stretch inhibits osteogenic and odontogenic differentiation of human dental pulp stem cells. *Journal of Tissue Engineering and Regenerative Medicine*, 5(5), 347–353. DOI 10.1002/term.319.
- 13. Kraft, D. C. E., Bindslev, D. A., Melsen, B., Klein-Nulend, J. (2011). Human dental pulp cells exhibit bone celllike responsiveness to fluid shear stress. *Cytotherapy*, *13(2)*, 214–226. DOI 10.3109/14653249.2010.487897.
- 14. Rombouts, C., Jeanneau, C., Bakopoulou, A., About, I. (2016). Dental pulp stem cell recruitment signals within injured dental pulp tissue. *Dentistry Journal*, 4(2), 8. DOI 10.3390/dj4020008.
- Grünheid, T., Morbach, B. A., Zentner, A. (2007). Pulpal cellular reactions to experimental tooth movement in rats. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology, 104(3), 434–441. DOI 10.1016/j.tripleo.2007.03.022.
- 16. Men, Y., Wang, Y., Yi, Y., Jing, D., Luo, W. et al. (2020). Gli1+ Periodontium stem cells are regulated by osteocytes and occlusal force. *Developmental Cell*, 54(5), 639–654.e6. DOI 10.1016/j.devcel.2020.06.006.
- 17. Huang, H., Yang, R., Zhou, Y. H. (2018). Mechanobiology of periodontal ligament stem cells in orthodontic tooth movement. *Stem Cells International*, 2018(11), 1–7.
- 18. Liu, F., Wen, F., He, D., Liu, D., Yang, R. et al. (2017). Force-induced H(2)S by PDLSCs modifies osteoclastic activity during tooth movement. *Journal of Dental Research*, 96(6), 694–702. DOI 10.1177/0022034517690388.
- He, D., Liu, F., Cui, S., Jiang, N., Yu, H. et al. (2020). Mechanical load-induced H2S production by periodontal ligament stem cells activates M1 macrophages to promote bone remodeling and tooth movement via STAT1. *Stem Cell Research & Therapy*, *11(1)*, 306. DOI 10.1186/s13287-020-01607-9.
- Safari, S., Mahdian, A., Motamedian, S. R. (2018). Applications of stem cells in orthodontics and dentofacial orthopedics: Current trends and future perspectives. *World Journal of Stem Cells*, 10(6), 66–77. DOI 10.4252/ wjsc.v10.i6.66.
- 21. Khojasteh, A., Motamedian, S. R. (2016). Mesenchymal stem cell therapy for treatment of craniofacial bone defects: 10 years of experience. *Journal of "Regeneration, Reconstruction & Restoration" (Triple R), 1(1), 1.*
- Motamedian, S. R., Tabatabaei, F. S., Akhlaghi, F., Torshabi, M., Gholamin, P. et al. (2017). Response of dental pulp stem cells to synthetic, Allograft, and Xenograft Bone Scaffolds. *International Journal of Periodontics and Restorative Dentistry*, 37(1), 47–59. DOI 10.11607/prd.2121.
- Tang, N., Zhao, Z., Zhang, L., Yu, Q., Li, J. et al. (2012). Up-regulated osteogenic transcription factors during early response of human periodontal ligament stem cells to cyclic tensile strain. *Archives of Medical Science: AMS*, 8(3), 422–430. DOI 10.5114/aoms.2012.28810.
- 24. Panchamanon, P., Pavasant, P., Leethanakul, C. (2019). Periostin plays role in force-induced stem cell potential by periodontal ligament stem cells. *Cell Biology International*, *43(5)*, 506–515. DOI 10.1002/cbin.11116.

- 25. Marrelli, M., Codispoti, B., Shelton, R. M., Scheven, B. A., Cooper, P. R. et al. (2018). Dental pulp stem cell mechanoresponsiveness: Effects of mechanical stimuli on dental pulp stem cell behavior. *Frontiers in Physiology*, *9*, 347. DOI 10.3389/fphys.2018.01685.
- Li, M., Zhang, C., Yang, Y. (2019). Effects of mechanical forces on osteogenesis and osteoclastogenesis in human periodontal ligament fibroblasts: A systematic review of *in vitro* studies. *Bone & Joint Research*, 8(1), 19–31. DOI 10.1302/2046-3758.81.BJR-2018-0060.R1.
- 27. Faggion, C. M., Jr. (2012). Guidelines for reporting pre-clinical *in vitro* studies on dental materials. *Journal of Evidence Based Dental Practice*, 12(4), 182–189. DOI 10.1016/j.jebdp.2012.10.001.
- He, L., Pan, S., Li, Y., Zhang, L., Zhang, W. et al. (2016). Increased proliferation and adhesion properties of human dental pulp stem cells in PLGA scaffolds via simulated microgravity. *International Endodontic Journal*, 49(2), 161–173. DOI 10.1111/iej.12441.
- 29. Yu, V., Damek-Poprawa, M., Nicoll, S. B., Akintoye, S. O. (2009). Dynamic hydrostatic pressure promotes differentiation of human dental pulp stem cells. *Biochemical and Biophysical Research Communications*, 386(4), 661–665. DOI 10.1016/j.bbrc.2009.06.106.
- Tabatabaei, F., Jazayeri, M., Ghahari, P., Haghighipour, N. (2014). Effects of equiaxial strain on the differentiation of dental pulp stem cells without using biochemical reagents. *Molecular & Cellular Biomechanics*, 11(3), 209–220.
- 31. Miyashita, S., Ahmed, N. E. M. B., Murakami, M., Iohara, K., Yamamoto, T. et al. (2017). Mechanical forces induce odontoblastic differentiation of mesenchymal stem cells on three-dimensional biomimetic scaffolds. *Journal of Tissue Engineering and Regenerative Medicine*, *11(2)*, 434–446. DOI 10.1002/term.1928.
- 32. Yu, V., Damek-Poprawa, M., Nicoll, S., Akintoye, S. O. (2009). Dynamic hydrostatic pressure promotes differentiation of human dental pulp stem cells. *Biochemical and Biophysical Research Communications*, 386(4), 661–665. DOI 10.1016/j.bbrc.2009.06.106.
- Han, M. J., Seo, Y. K., Yoon, H. H., Song, K. Y., Park, J. K. (2010). Upregulation of bone-like extracellular matrix expression in human dental pulp stem cells by mechanical strain. *Biotechnology and Bioprocess Engineering*, 15(4), 572–579. DOI 10.1007/s12257-009-0102-3.
- Woloszyk, A., Dircksen, S. H., Bostanci, N., Müller, R., Hofmann, S. et al. (2014). Influence of the mechanical environment on the engineering of mineralised tissues using human dental pulp stem cells and silk fibroin scaffolds. *PLoS One*, 9(10), e111010. DOI 10.1371/journal.pone.0111010.
- He, L., Pan, S., Li, Y., Zhang, L., Zhang, W. et al. (2016). Increased proliferation and adhesion properties of human dental pulp stem cells in PLGA scaffolds via simulated microgravity. *International Endodontic Journal*, 49(2), 161–173. DOI 10.1111/iej.12441.
- 36. Han, M. J., Seo, Y. K., Yoon, H. H., Song, K. Y., Park, J. K. (2008). Effect of mechanical tension on the human dental pulp cells. *Biotechnology and Bioprocess Engineering*, *13(4)*, 410–417. DOI 10.1007/s12257-008-0146-9.
- 37. Liu, J., Li, Q., Liu, S., Gao, J., Qin, W. et al. (2017). Periodontal ligament stem cells in the periodontitis microenvironment are sensitive to static mechanical strain. *Stem Cells International, 2017(3),* 1–13.
- 38. Shen, T., Qiu, L., Chang, H., Yang, Y., Jian, C. et al. (2014). Cyclic tension promotes osteogenic differentiation in human periodontal ligament stem cells. *International Journal of Clinical and Experimental Pathology*, 7(11), 7872.
- 39. Wei, F., Wang, J., Ding, G., Yang, S., Li, Y. et al. (2015). Mechanical force-induced specific MicroRNA expression in human periodontal ligament stem cells. *Cells Tissues Organs*, 199(5-6), 353-363. DOI 10.1159/000369613.
- Wang, T., Li, G., Chen, J., Lin, Z., Qin, H. et al. (2016). Three-dimensional stress *In vitro* promotes the proliferation and differentiation of periodontal ligament stem cells implanted by bioactive glass. *Cellular and Molecular Biology*, 62(13), 62–67. DOI 10.14715/cmb/2016.62.13.11.
- Zhang, C., Li, J., Zhang, L., Zhou, Y., Hou, W. et al. (2012). Effects of mechanical vibration on proliferation and osteogenic differentiation of human periodontal ligament stem cells. *Archives of Oral Biology*, 57(10), 1395–1407. DOI 10.1016/j.archoralbio.2012.04.010.
- Zhang, C., Lu, Y., Zhang, L., Liu, Y., Zhou, Y. et al. (2015). Influence of different intensities of vibration on proliferation and differentiation of human periodontal ligament stem cells. *Archives of Medical Science*, 11(3), 638–646. DOI 10.5114/aoms.2015.52370.

- Li, S., Ma, Z., Niu, Z., Qian, H., Xuan, D. et al. (2009). NASA-approved rotary bioreactor enhances proliferation and osteogenesis of human periodontal ligament stem cells. *Stem Cells and Development*, 18(9), 1273–1282. DOI 10.1089/scd.2008.0371.
- Shen, T., Qiu, L., Chang, H., Yang, Y., Jian, C. et al. (2014). Cyclic tension promotes osteogenic differentiation in human periodontal ligament stem cells. *International Journal of Clinical and Experimental Pathology*, 7(11), 7872–7880.
- Liu, J., Li, Q., Liu, S., Gao, J., Qin, W. et al. (2017). Periodontal ligament stem cells in the periodontitis microenvironment are sensitive to static mechanical Strain. *Stem Cells International*, 2017(3), 1–13. DOI 10.1155/2017/1380851.
- Tang, N., Zhao, Z., Zhang, L., Yu, Q., Li, J. et al. (2012). Up-regulated osteogenic transcription factors during early response of human periodontal ligament stem cells to cyclic tensile strain. *Archives of Medical Science*, 8(3), 422– 430. DOI 10.5114/aoms.2012.28810.
- Han, M. J., Seo, Y. K., Yoon, H. H., Song, K. Y., Park, J. K. (2010). Upregulation of bone-like extracellular matrix expression in human dental pulp stem cells by mechanical strain. *Biotechnology and Bioprocess Engineering*, 15(4), 572–579. DOI 10.1007/s12257-009-0102-3.
- 48. Han, M. J., Seo, Y. K., Yoon, H. H., Song, K. Y., Park, J. K. (2008). Effect of mechanical tension on the human dental pulp cells. *Biotechnology and Bioprocess Engineering*, *13(4)*, 410–417. DOI 10.1007/s12257-008-0146-9.
- 49. Tabatabaei, F. S., Jazayeri, M., Ghahari, P., Haghighipour, N. (2014). Effects of equiaxial strain on the differentiation of dental pulp stem cells without using biochemical reagents. *Molecular & Cellular Biomechanics*, 11(3), 209–220.
- Mu, C., Lv, T., Wang, Z., Ma, S., Ma, J. et al. (2014). Mechanical stress stimulates the osteo/odontoblastic differentiation of human stem cells from apical papilla via erk 1/2 and JNK MAPK pathways. *BioMed Research International*, 2014(4), 1–10. DOI 10.1155/2014/494378.
- 51. Feller, L., Khammissa, R. A., Schechter, I., Thomadakis, G., Fourie, J. et al. (2015). Biological events in periodontal ligament and alveolar bone associated with application of orthodontic forces. *Scientific World Journal*, 2015(11), 1–7. DOI 10.1155/2015/876509.
- 52. Jiang, N., Guo, W., Chen, M., Zheng, Y., Zhou, J. et al. (2016). Periodontal ligament and alveolar bone in health and adaptation: Tooth movement. *Frontiers of Oral Biology*, *18*, 1–8.
- Feller, L., Khammissa, R. A., Schechter, I., Moodley, A., Thomadakis, G. et al. (2015). Periodontal biological events associated with orthodontic tooth movement: The biomechanics of the cytoskeleton and the extracellular matrix. *Scientific World Journal*, 2015(1), 1–7. DOI 10.1155/2015/894123.
- Garlet, T. P., Coelho, U., Repeke, C. E., Silva, J. S., de Queiroz Cunha, F. et al. (2008). Differential expression of osteoblast and osteoclast chemmoatractants in compression and tension sides during orthodontic movement. *Cytokine*, 42(3), 330–335. DOI 10.1016/j.cyto.2008.03.003.
- 55. Oppenheim, A. (1911). Tissue changes, Particularly in the bone incident to tooth movement. *American Journal of Orthodontics*, *3*, 113–132.
- 56. Schwarz, A. M. (1932). Tissue changes incidental to orthodontic tooth movement. *International Journal of Orthodontia, Oral Surgery and Radiography, 18(4),* 331–352. DOI 10.1016/S0099-6963(32)80074-8.
- Asiry, M. A. (2018). Biological aspects of orthodontic tooth movement: A review of literature. Saudi Journal of Biological Sciences, 25(6), 1027–1032. DOI 10.1016/j.sjbs.2018.03.008.
- Li, S., Ma, Z., Niu, Z., Qian, H., Xuan, D. et al. (2009). NASA-approved rotary bioreactor enhances proliferation and osteogenesis of human periodontal ligament stem cells. *Stem Cells and Development*, 18(9), 1273–1282. DOI 10.1089/scd.2008.0371.
- Wang, Y., Li, J., Qiu, Y., Hu, B., Chen, J. et al. (2018). Low-intensity pulsed ultrasound promotes periodontal ligament stem cell migration through TWIST1-mediated SDF-1 expression. *International Journal of Molecular Medicine*, 42(1), 322–330.
- Zhang, C., Li, J., Zhang, L., Zhou, Y., Hou, W. et al. (2012). Effects of mechanical vibration on proliferation and osteogenic differentiation of human periodontal ligament stem cells. *Archives of Oral Biology*, 57(10), 1395–1407. DOI 10.1016/j.archoralbio.2012.04.010.

- Zhang, C., Lu, Y., Zhang, L., Liu, Y., Zhou, Y. et al. (2015). Influence of different intensities of vibration on proliferation and differentiation of human periodontal ligament stem cells. *Archives of Medical Science*, 11(3), 638–646. DOI 10.5114/aoms.2015.52370.
- Mu, C., Lv, T., Wang, Z., Ma, S., Ma, J. et al. (2014). Mechanical stress stimulates the osteo/odontoblastic differentiation of human stem cells from apical papilla via erk 1/2 and JNK MAPK pathways. *BioMed Research International*, 2014(4), 1–10. DOI 10.1155/2014/494378.
- Natali, A. N., Pavan, P. G., Scarpa, C. (2004). Numerical analysis of tooth mobility: Formulation of a non-linear constitutive law for the periodontal ligament. *Dental Materials*, 20(7), 623–629. DOI 10.1016/j. dental.2003.08.003.
- 64. Vining, K. H., Mooney, D. J. (2017). Mechanical forces direct stem cell behaviour in development and regeneration. *Nature Reviews: Molecular Cell Biology*, 18(12), 728–742. DOI 10.1038/nrm.2017.108.
- Lian, J. B., Stein, G. S. (1992). Concepts of osteoblast growth and differentiation: Basis for modulation of bone cell development and tissue formation. *Critical Reviews in Oral Biology and Medicine*, 3(3), 269–305. DOI 10.1177/ 10454411920030030501.
- Aguilar-Perez, F. J., Vargas-Coronado, R., Cervantes-Uc, J. M., Cauich-Rodriguez, J. V., Rosales-Ibañez, R. et al. (2018). Preparation and characterization of titanium-segmented polyurethane composites for bone tissue engineering. *Journal of Biomaterials Applications*, 33(1), 11–22. DOI 10.1177/0885328218772708.
- 67. Tucker, A. S., Matthews, K. L., Sharpe, P. T. (1998). Transformation of tooth type induced by inhibition of BMP signaling. *Science*, 282(5391), 1136–1138. DOI 10.1126/science.282.5391.1136.
- Andrade Jr, I., Sousa, A. B. D. S., Silva, G. G. D. (2014). New therapeutic modalities to modulate orthodontic tooth movement. *Dental Press Journal of Orthodontics*, 19(6), 123–133. DOI 10.1590/2176-9451.19.6.123-133.sar.
- 69. Wise, G. E., King, G. J. (2008). Mechanisms of tooth eruption and orthodontic tooth movement. *Journal of Dental Research*, *87(5)*, 414–434. DOI 10.1177/154405910808700509.
- Su, K. C., Chuang, S. F., Ng, E. Y. K., Chang, C. H. (2014). An investigation of dentinal fluid flow in dental pulp during food mastication: simulation of fluid-structure interaction. *Biomechanics and Modeling in Mechanobiology*, 13(3), 527–535. DOI 10.1007/s10237-013-0514-z.
- 71. Loginova, N. K., Ivanova, E. V., Troitskaia, T. V. (2008). Masticatory loading influence upon dental pulp functional status and its blood supply. *Stomatologiia*, 87(6), 13–16.
- 72. Smith, A. J., Tobias, R. S., Murray, P. E. (2001). Transdentinal stimulation of reactionary dentinogenesis in ferrets by dentine matrix components. *Journal of Dentistry*, *29(5)*, 341–346. DOI 10.1016/S0300-5712(01)00020-3.
- 73. Pispa, J., Thesleff, I. (2003). Mechanisms of ectodermal organogenesis. *Developmental Biology*, 262(2), 195–205. DOI 10.1016/S0012-1606(03)00325-7.
- 74. Thesleff, I., Nieminen, P. (1996). Tooth morphogenesis and cell differentiation. *Current Opinion in Cell Biology*, 8(6), 844–850. DOI 10.1016/S0955-0674(96)80086-X.
- 75. Landay, M. A., Nazimov, H., Seltzer, S. (1970). The effects of excessive occlusal force on the pulp. *Journal of Periodontology*, 41(1), 3–11. DOI 10.1902/jop.1970.41.1.3.
- Yang, L., Yang, Y., Wang, S., Li, Y., Zhao, Z. (2015). In vitro mechanical loading models for periodontal ligament cells: From two-dimensional to three-dimensional models. *Archives of Oral Biology*, 60(3), 416–424. DOI 10.1016/j.archoralbio.2014.11.012.
- Qi, L., Zhang, Y. (2014). The microRNA 132 regulates fluid shear stress-induced differentiation in periodontal ligament cells through mTOR signaling pathway. *Cellular Physiology and Biochemistry*, 33(2), 433–445. DOI 10.1159/000358624.
- Elashry, M. I., Gegnaw, S. T., Klymiuk, M. C., Wenisch, S., Arnhold, S. (2019). Influence of mechanical fluid shear stress on the osteogenic differentiation protocols for Equine adipose tissue-derived mesenchymal stem cells. *Acta Histochemica*, 121(3), 344–353. DOI 10.1016/j.acthis.2019.02.002.
- 79. Yourek, G., McCormick, S. M., Mao, J. J., Reilly, G. C. (2010). Shear stress induces osteogenic differentiation of human mesenchymal stem cells. *Regenerative Medicine*, 5(5), 713–724. DOI 10.2217/rme.10.60.